NH Public Utilities Commission

WHPLIC 26FEB'16rk3:12

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	
Basic Information	
Who is submitting this request?	
Aggregator	
Aggregator Batch Number	
KE022416	
Are you registered in NH Yes No	
Aggregator name	
Knollwood Energy - 14625	
NH Reg #	
Aggregator Email	
alane@knollwoodenergy.com	
Other Aggregator name	\neg
Other aggregator email address	
	_
Facility Owner Name	
Jon Rudolph	
-acility Owner email	
jrudolph01@comcast.net	٦

Owner Phone
603-329-5145
Facility Address
11 Agawam Ave.
Facility Town/City
Hampstead
Facility State
NH
Facility Zip
03841
s the facility address the same as the owner's mailing address
Yes
O No
Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen T
Primary Contact
Timary Contact
Other Email Address
alane@knollwoodenergy.com
acility Information
Class
II

Utility
Eversource
Other Utility Name
Circl Culty Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON71384
Date of Initial Operation
01/07/2016
01/01/2016
Facility Operator Name, if applicable
Panel Quantity
36
Panel Make
Solarworld
Coldivolid
Panel Model
Other
Panel Rated Output
285
System capacity based on panels
10260
Inverter Quantity
36
Inverter Make .
Enphase Energy

Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
250
Rated Output - Additional Inverter
System capacity based on single inverter make
9000
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
Revenue Grade Meter Make AEE Solar
Weethin facility in talled directly by the content of the directly by the directly by the content of the directly by
Was this facility installed directly by the customer (no electrician involved)? O Yes No
Electrician Name & Number
Other
Other Electrician Name & Number
Al Bradley #8218M
Installation Company
Milhouse Enterprises
Other Installation Company Name
Other Inst. Company Address

Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
YesNo
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6180066_5tZkIhRK_N4474_Rudolph_PVCertificate_o
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6180066_F5AN4btK_Rudolph_NHOS.pdf

Please attach additional document here

La Ja

https://fs30.formsite.com/jan1947/files/f-5-173-6180066_7dhPbGJ8_N4474_Rudolph_PV_-_Processed

Aggregator statement of accuracy


Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

02/24/2016



EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

			Eversource Application Project	110#: _	1/947/
Contact Information:					
Legal Name and Address of Interconnecti		er (or, C	ompany name, if appropriate)		
Customer or Company Name (print): Jor					

Mailing Address: 11 Agawam Ave.				· · ·	00044
City: Hampstead			Zip		03841
			(Evening): 603-329-		
Facsimile Number: 978-299-0163		· · · · · · · · · · · · · · · · · · ·	E-Mail Address: jrudolph01@c	omcast.n	et
Altownotive Contest Information (c.)	· .	11 .*		••	•
Alternative Contact Information (e.g., S Name: Milhouse Enterprises	system inst	allation	contractor or coordinating compai	ny, if ap	propriate):
Mailing Address: 142 South Rd					
City: Belmont	State:	NH	Zip	Code:	03220
222 222 22			(Evening):		
Facsimile Number:					
Electrical Contractor Contact Informat	ion (if ann	ronriate)	•		
Name: Jason Durgin Master Llc#11828M	(· op.i.a.o)	•		
Mailing Address: 461 Cross Mill Rd.	······································				
	State:	NH	Zip	Code	03276
Telephone (Daytime): 603-630-6574			(Evening):		
Facsimile Number:					
	******		D William Redicos.		
Facility Site Information:					
Facility (Site) Address: 11 Agawam Ave					
	State		NH Zip	Code	03841
Electric	State.		Zip	Code.	
	Accour	ıt Numb	er: <u>56194641056</u> Met	tan Niumi	S71124338
Account and Meter Number: Please consul					
Number on this application. If the facility i	s to be inst	alled in	a new location, please provide the	e Everso	urce Work Request number.
					1
Eversource Work Request #			more distribution in the contract of the contr		
Non-Default' Service Customers Only:					
Competitive Electric					
Energy Supply Company: First Point Power	·LLC		Account Num	ber:	
(Customer's with a Competitive Energy Su		any shor			contract with their Energy
Supply Company.)	1		yy are zermo or common.	,	Toma we man them Employ

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Informa	tion:			
Generator/	1.10 doi 1 taino ec			
Inverter Manufacturer: En	phase	Number: Number: Number: Number: Number: Number:	1250	Quantity: 36
Nameplate Rating: .25	(kW)250	(kVA)	(AC Volts)	Phase: Single Three
Nameplate Rating: The AC	Nameplate rating of th	he individual inve	erter.	
System Design Capacity:				Yes No No
				inverters installed in the system, this is the
sum of the AC nameplate ra				
Net Metering: If Renewably	Fueled, will the accou	unt be Net Meter	ed? Yes 🔳 No	
Prime Mover: Photovoltaic		1000		The state of the s
Energy Source: Solar	Wind Hydro	Diesel N	atural Gas Fuel C	Oil Other
Inverter-based Generating				
Yes No No				nits, Part Puc 906.01 Inverter Requirements
The standard UL 1741.1 dat	ted May, 2007 or later,	"Inverters, Conv	verters, and Controllers	for Use With Independent Power
submit their equipment to a	Nationally Recognized	design of various	s forms of generating e	quipment. Many manufacturers choose to les compliance with UL 1741.1. This
term "Listed" is then ma	rked on the equipm	ent and suppo	rting documentation	n. Please include, any documentation
provided by the inverter n	nanufacturer describi	ing the inverter	's UL 1741/IEEE 154	7.1 listing.
77.4				
External Manual Disconne				
An External Manual Discon- Interconnections For Facilitie	nect Switch shall be in	stalled in accorda	nce with 'Part Puc 905	Technical Requirements For
Yes No	s, i ac 903.01 Requirem	ients for Disconn	ect Switches and 905.02	Disconnect Switch.
Location of External Manual	Disconnect Switch:	At array - Grour	nd Mount.	
DOWNER OF MINORILE TIME	· Disconnect Switch: _			
Project Estimated Install Dat	te: 11/2015	I	Project Estimated In-Se	ervice Date: 2015
-				
Interconnecting Customer	Signature:			
I hereby certify that, to the b	est of my knowledge,	all of the informa	tion provided in this a	pplication is true and I agree to the Terms
and Conditions for Simplif				
lon Di	Digitally signed	by Jon Rudolph		40/00/45
Customer Signature: Jon Ru		by Jon Rudolph 28 07:45:20 -04'00' Title		Date: 10/28/15
				must indicate the generator connection
point in relation to the custo returned.	mer service panel and	the Eversource	meter socket. Applica	ntions without such a diagram may be
<i>тешпе</i> ш		The state of the s		
		For Eversour	ca Usa Only	
Approval to Install Facility		roi Eversour	ce ose omy	
• • • • • • • • • • • • • • • • • • • •		non the Terms ar	nd Conditions For Sim	plified Process Interconnections of this
Agreement, and agreement to	any system modificat	ions, if required.	a conditions to sim	Announ rocess merconicetions of this
Are system modifications req		F	Determined	
		named 200		
Company Signature:			Title:	Date:

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes 🔳 No 🗌	Date of inspection/Witness Test:
--	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all
 of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA




Exhibit B - Certificate of Completion for Simplified Process Interconnections By

Installation Information:	-installed
Customer or Company Name (print): Jon Rudolp	h
Contact Person, if Company:	
Mailing Address: 11 Agawam Ave	
City: Hampstead	State: NH Zip Code: 03841
Telephone (Daytime): 603-329-5145	(Evening):
Facsimîle Number: 978-249 - 0163	
Facility Information:	Eversource Meter # S71124338
Address of Facility (if different from above):same	
City:	State: Zip Code:
Electrical Contractor Contact Information:	
Electrical Contractor's Name (if appropriate):	IberT W. Bradley
Mailing Address: 191711400 St	
City: Seabrook	State: <u>N H</u> Zip Code: <u>038 74</u>
Telephone (Daytime): 603 - 479 - 4200)	(Evening): 603-479-420d
Facsimile Number:	E-Mail Address: Obradky De hot mail. Co
License number: <u>\$218 M</u>	्रा क्यां क्या क्यां
Date of approval to install Pacility granted by the Comp	pany:
Eversource Application ID number: #N 4474	quintermonopus.
Inspection:	
The system has been installed and inspected in complia City:	The state of the s
Signed (Local Electrical Wiring Inspector, or attach sig	
Signature: Chethun Carl	
Name (printed): BATHONY Tue	308 Date: 9//7/16
Customer Certification:	
	formation contained in this Exhibit B – Certification of istalled and shall be operated in compliance with applicable 905.04 has been successfully completed.
Please remember to provide digital photos of the ins required), the existing Eversour cometer, the inverte	
Customer Signature: Mast a Cudy	6/1
As a condition of interconnection you are required to se	nd/fax a copy of this form to:

Eversource
Distributed Generation
780 North Commercial Street

P. O. Box 330, Manchester, NH 03105-0330 Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Jon Rudolph	
Printed Name of signature owner	
Jonathan A Rudolph Jonathan A Rudolph (Feb 9, 2016)	

Signature of system owner